



PT INDONESIA STEEL TUBE WORKS

MANUFACTURER OF PRIME QUALITY MECHANICAL TUBES, BLACK PIPES AND GALVANIZED PIPES

CATALOG PRODUCT





OD / THICKNESS	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60	2.00	2.30	2.40	2.60	2.80	3.00	3.20	3.30	3.70	3.80	4.00	4.50
8.00	●	●	●	●	●	●																
9.50	●	●	●	●	●	●																
10.00	●	●	●	●	●	●	●	●	●	●												
11.80	●	●	●	●	●	●	●	●	●	●												
12.00	●	●	●	●	●	●	●	●	●	●	●	●										
12.70	●	●	●	●	●	●	●	●	●	●	●	●	●									
13.00	●	●	●	●	●	●	●	●	●	●	●	●	●									
13.80	●	●	●	●	●	●	●	●	●	●	●	●	●									
14.00	●	●	●	●	●	●	●	●	●	●	●	●	●									
15.90	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
17.30	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
18.00	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
19.00	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
19.10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
20.40	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
21.10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
21.40	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
21.70	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
22.20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					
25.40	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
25.60	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
25.90	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
26.60	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
26.70	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
26.90	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
27.20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
28.60	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
30.00	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
31.80	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
32.00	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
32.60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
33.30		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
33.40		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
33.70	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
34.00		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
35.00		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
38.10		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
38.60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
40.00		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
41.30	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
41.90		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
42.10		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
42.40	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
42.70		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
44.60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
45.00		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
47.00	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
47.20		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
47.60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
48.00		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
48.30		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
48.60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
50.80		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
53.60			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
54.00				●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
57.00								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
59.20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
59.80																						
60.30								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
60.50								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
63.50								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
65.00								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
70.00	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
73.00								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
75.40								●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
75.60	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
75.80	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
76.00									●	●	●	●	●	●	●	●	●	●	●	●	●	●
76.20									●	●	●	●	●	●	●	●	●	●	●	●	●	●
76.30									●	●	●	●	●	●	●	●	●	●	●	●	●	●
88.30									●	●	●	●	●	●	●	●	●	●	●	●	●	●
88.50									●	●	●	●	●	●	●	●	●	●	●	●	●	●
101.60										●	●	●	●	●	●	●	●	●	●	●	●	●
113.50	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
113.70										●	●	●	●	●	●	●	●	●	●	●	●	●
138.90	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
139.20											●	●	●	●	●	●	●	●	●	●	●	●
164.30	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
164.60											●	●	●	●	●	●	●	●	●	●	●	●

AVAILABLE



MECHANICAL TUBE - SQUARE

OD / THICKNESS	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60	2.00	2.30	2.40	2.60	2.80	3.00	3.20	3.30	3.70	3.80	4.00	4.50
13.0 X 13.0	●	●	●	●	●	●	●	●	●	●	●											
15.0 X 15.0	●	●	●	●	●	●	●	●	●	●	●											
16.0 X 16.0	●	●	●	●	●	●	●	●	●	●	●											
19.0 X 19.0	●	●	●	●	●	●	●	●	●	●	●											
20.0 X 20.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
21.0 X 21.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
25.0 X 25.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
30.0 X 30.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					
35.0 X 35.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
40.0 X 40.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
50.0 X 50.0								●	●	●	●	●	●	●	●	●	●	●	●			
60.0 X 60.0										●	●	●	●	●	●	●	●	●	●	●	●	●
75.0 X 75.0											●	●	●	●	●	●	●	●	●	●	●	●



MECHANICAL TUBE - RECTANGULAR

OD / THICKNESS	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60	2.00	2.30	2.40	2.60	2.80	3.00	3.20	3.30	3.70	3.80	4.00	4.50
20.0 X 10.0	●	●	●	●	●	●	●	●	●	●	●											
32.0 X 12.0	●	●	●	●	●	●	●	●	●	●	●											
25.0 X 20.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
30.0 X 15.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●							
20.0 X 30.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●							
30.0 X 20.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●							
20.0 X 40.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●							
40.0 X 20.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
48.0 X 20.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
25.0 X 40.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					
40.0 X 25.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
30.0 X 40.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
40.0 X 30.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
50.0 X 20.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
50.0 X 25.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
26.0 X 50.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
30.0 X 50.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
38.0 X 40.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
50.0 X 26.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
50.0 X 30.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
25.0 X 55.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
55.0 X 25.0			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
30.0 X 60.0								●	●	●	●	●	●	●	●	●	●	●				
60.0 X 30.0								●	●	●	●	●	●	●	●	●	●	●				
48.0 X 52.0								●	●	●	●	●	●	●	●	●	●	●				
60.0 X 47.6								●	●	●	●	●	●	●	●	●	●	●				
60.0 X 40.0								●	●	●	●	●	●	●	●	●	●	●				
70.0 X 30.0								●	●	●	●	●	●	●	●	●	●	●				
75.0 X 20.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
75.0 X 45.0											●	●	●	●	●	●	●	●	●	●	●	●
80.0 X 40.0										●	●	●	●	●	●	●	●	●	●	●	●	●
100.0 X 50.0											●	●	●	●	●	●	●	●	●	●	●	●
100.0 X 60.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
150.0 X 75.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



MECHANICAL TUBE - OVAL

OD / THICKNESS	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60	2.00	2.30	2.40	2.60	2.80	3.00	3.20	3.30	3.70	3.80	4.00	4.50
23.0 X 12.0	●	●	●	●	●	●	●	●	●	●	●											
25.0 X 14.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●								
25.0 X 16.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●								
25.0 X 17.2	●	●	●	●	●	●	●	●	●	●	●	●	●	●								
30.0 X 15.0	●	●	●	●	●	●	●	●	●	●	●	●	●	●								
33.0 X 21.0		●	●	●	●	●	●	●	●	●	●	●	●	●								
34.0 X 16.5		●	●	●	●	●	●	●	●	●	●	●	●	●								
40.0 X 16.0		●	●	●	●	●	●	●	●	●	●	●	●	●								
46.0 X 21.5		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●					
46.0 X 23.2		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
54.0 X 20.0		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				

● AVAILABLE